Eibra H2

HANGERS



SYMBOLS



= Shelf Safely locked during transportation and at home.



= ANTI-TURNOVER LOCKING SYSTEM



NOTE: Printing errors and omissions may exist despite our best efforts to ensure accurancy. We reserve the right to alter specifications without notice.

MATERIALS



FI	NIS	HES

+	= OTHER FINISHES
	ON REQUEST

AVAILABLE

PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IF	Middle Grey	RO	Red
AA	Natural	IJ	Light Grey	UT	T-Met 9007
AB	White	IL	Grey 20	UZ	T-Met
AE	White 9010	IN	Grey met. 26	WA	Bronzed
EA	Black	JB	Bright Aluminium	WI	Burnished
EC	Matt Black	JC	Aluminium - Chrome	XD	Satin-finished Steel
EE	Anthracite	D	Matt Aluminium	YA	Nickel-plated
EW	Grey 9007	JE	Satin-finished Aluminium	YB	Bright Nickel-plated
FU	Gunmetal	JF	Aluminium - Brass	YC	Matt Nickel-plated
FV	Gunmetal V52	JG	Aluminium 5	YD	Satin-finished Nickel-plated
GR	Raw	JL	Aluminium PE 11	YQ	Black Nickel
HA	Brass-Plated	JM	Aluminium RAL 9006	Z9	Black Zinc
НН	Tropicalized	КА	Chrome	ZA	Zinc alloy
HL	Raw Brass	КВ	Bright Chrome	ZN	Zinc-plated
НХ	Graphite	кс	Matt Chrome	ZQ	Bright Gold
IA	Grey	LD	Brown 8019	ZY	Titanum
IB	Metallic Grey	NN	Metallic Beige	ZZ	Clear

HANGERS LIBRA H2



LIBRA H1 - H2 - H3 - H4 LIVING SETTINGS



LIBRA H1

LIBRA H3



LIBRA H2



LIBRA H2

LIBRA is the innovative family of CABINET HANGERS and WALL PLATES especially conceived to satisfy all the customer's needs. The LIBRA hangers are to be installed behind the rear panel with the only small cover caps left visible inside the cabinet. LIBRA is a very resistant and reliable solution as the zinc-coated steel body is sensibly thicker, and therefore stronger.

All the models within the LIBRA family feature an innovative ANTI-TURNOVER device which is covered by patent.

LIBRA H2 is the universal cabinet hanger with 3 dowels + rotary lever. The same reference can be mounted both on the right and the left side. It requires four Ø10mm drillings with 13mm depth on the sides.

Also featured in the LIBRA family are 5 types of wall plates and 1 types of wall bars made of very thick zinc-coated steel and hardened by punched impressions.

Wall bars and wall plates feature oval holes which facilitate the correct positioning and give the possibility to carry out the horizontal adjustment. Placement of the holes for wall-fixation has been

optimised to reduce the stress on the plates and on the plugs.

LIBRA cabinet hangers allow to adjust the cabinet vertically and horizontally. The 2 movements are 100% INDEPENDENT of each other and therefore make the adjustments much easier and more efficient

The adjustment and the locking of the ANTI-TURNOVER bolt can be carried out from the inside of the cabinet by using a standard PZ2 screwdriver. The capacity loading of LIBRA H2 is 75 Kilos per piece.



UNI 68840:2004 - 75 Kg per piece



PATENTED Certificates available on request.



INSTALLATION UNDER THE CABINET TOP



- For details refer to "LIBRA WALL PLATES"





It is the responsibility of the customer:

- to ensure that the wall is of a suitable quality to hold the unit fixing in place.

- to use the proper hardware fittings according to the construction of the wall.

For more specific information, please refer to the WARNINGS section at the end of the catalogue.





2 IN-DEPTH ADJUSTMENT 12 mm



ALTERNATIVE INSTALLATION



head wood screws Ø 3,5x20 mm

COVER CAP INSERTING

- For details refer to "LIBRA COVER CAPS"



3 ANTI-TURNOVER LOCKING Stop screwing the red bolt when it touches the wall plate





DRILLING PLAN FOR LIBRA H2 FIXED UNDER THE CABINET TOP

SIDE PANEL AND SERVICE GAP

Libra CC1-CC4-CC5 cover cap

BACK PANEL



15 min.









NOTE: for technical details about wall plates and cover caps please refer to the related sections "LIBRA WALL PLATES" on page 12.65 and "LIBRA COVER CAPS" on page 12.68.

Libra CC2 cover cap



LIBRA H2 WITHOUT ROTARY LEVER

DRILLING PLAN FOR LIBRA H2 FIXED UNDER THE CABINET TOP

SIDE PANEL AND SERVICE GAP

BACK PANEL







X

= PZ2







LIBRA H2 FIXING ACCESSORY











